
according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 30, 2019



according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 30, 2019

Trade name: GP-179

	(Contral of page 1)	Í.
P403+P235	Store in a well-ventilated place. Keep cool.	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.	
	regulations.	i i

3 Composition/information on ingredients

• Chemical characterization: Substances

· CAS No. Description

67923-21-1 Siloxanes and Silicones, di-Me, (triethoxysilyl)oxy)-terminated

4 First-aid measures

[•] Description of first aid measures

· General information: No special measures required.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation is experienced, consult a doctor.

• After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting.

If symptoms persist consult doctor.

Most important symptoms and effects, both acute and delayed:

Nausea in case of ingestion.

May cause gastro-intestinal irritation if ingested.

- **Danger:** No relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

No relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: Water fog / haze Foam Alcohol resistant foam Carbon dioxide Fire-extinguishing powder Gaseous extinguishing agents
For safety reasons unsuitable extinguishing agents: Water stream.
Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

[•] Advice for firefighters

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 30, 2019

Trade name: GP-179

(Cont'd. of page 2)

· Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit. Additional information:

Eliminate all ignition sources if safe to do so.

Cool endangered containers with water fog.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Keep away from ignition sources.

Protect from heat.

• Environmental precautions Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling · Precautions for safe handling: Prevent formation of aerosols. Use only in well ventilated areas. Avoid splashes or spray in enclosed areas. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect from heat. Flammable gas-air mixtures may be formed in empty containers/receptacles. Flammable liquid and vapor. Conditions for safe storage, including any incompatibilities · Requirements to be met by storerooms and receptacles: Store in a cool location. Provide ventilation for receptacles. Avoid storage near extreme heat, ignition sources or open flame. Information about storage in one common storage facility: Store away from foodstuffs. Store away from oxidizing agents. · Further information about storage conditions: Protect from humidity and water.

Keep containers tightly sealed.

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 30, 2019

Trade name: GP-179

(Cont'd. of page 3)

• Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

Control parameters

· Components with limit values that require monitoring at the workplace: Not required.

• Exposure controls

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Engineering controls: Provide adequate ventilation.
- Breathing equipment: Not required under normal conditions of use.
- Protection of hands:



Protective gloves

· Material of gloves

A reccomendation for a suitable glove material is not available. Testing will be required to determine the suitability of any potential glove materials.

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

• Body protection: Protective work clothing

Limitation and supervision of exposure into the environment

Avoid release to the environment.

[•] Risk management measures

See Section 7 for additional information.

No relevant information available.

 Information on basic physical and chemical properties Appearance: 				
Form:	Liquid			
Color:	Clear to straw color.			
· Odor:	Not determined.			
· Odor threshold:	Not determined.			
· pH-value at 20 °C (68 °F):	7			
· Melting point/Melting range:	Not determined.			
· Boiling point/Boiling range:	Not determined.			

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 30, 2019

Trade name: GP-179

		(Cont'd. of page 4)
· Flash point:	23 °C (73.4 °F) (PMCC)	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Not determined.	
 Explosion limits Lower: Upper: Oxidizing properties: 	Not determined. Not determined. Non-oxidizing.	
· Vapor pressure:	Not determined.	
 Density at 20 °C (68 °F): Relative density: Vapor density: Evaporation rate: 	1.03 g/cm³ (8.6 lbs/gal) Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with Water: 	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wat	ter): Not determined.	
 Viscosity Dynamic at 20 °C (68 °F): Kinematic: Other information 	150 cSt Not determined. No relevant information available.	

10 Stability and reactivity

· Reactivity: No relevant information available.

- · Chemical stability:
- Thermal decomposition / conditions to be avoided:
- Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Possibility of hazardous reactions

- Combustible liquid.
- Reacts with oxidizing agents.

Reacts with peroxides and other radical forming substances.

- Reacts with acids.
- Reacts with alkali (lyes).

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

· Conditions to avoid Keep ignition sources away - Do not smoke.

· Incompatible materials

Oxidizing agents.

Strong acids and alkali.

Hazardous decomposition products

Carbon monoxide and carbon dioxide

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 30, 2019

Trade name: GP-179

(Cont'd. of page 5)

Possible in traces: Silicon Oxides (SiOx). Formaldehyde 11 Toxicological information

Information on toxicological effects · Acute toxicity: Based on available data, the classification criteria are not met. · LD/LC50 values that are relevant for classification: None. · Primary irritant effect: · On the skin: Based on available data, the classification criteria are not met. • On the eye: Based on available data, the classification criteria are not met. · Sensitization: No sensitizing effects known. · Subacute to chronic toxicity: No relevant information available. · IARC (International Agency for Research on Cancer): Substance is not listed. · NTP (National Toxicology Program): Substance is not listed. **OSHA-Ca** (Occupational Safety & Health Administration): Substance is not listed. · Probable route(s) of exposure: Ingestion. Inhalation. Eye contact. Skin contact. • Acute effects (acute toxicity, irritation and corrosivity): No relevant information available. · Repeated dose toxicity: No relevant information available. · Germ cell mutagenicity: Based on available data, the classification criteria are not met. · Carcinogenicity: Based on available data, the classification criteria are not met. • **Reproductive toxicity:** Based on available data, the classification criteria are not met. • **STOT-single exposure:** Based on available data, the classification criteria are not met. • STOT-repeated exposure: Based on available data, the classification criteria are not met. · Aspiration hazard: Based on available data, the classification criteria are not met. **12 Ecological information** · Toxicity · Aquatic toxicity No relevant information available. · Persistence and degradability No relevant information available. · Bioaccumulative potential: No relevant information available. · Mobility in soil: No relevant information available.

- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Other adverse effects No relevant information available.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 30, 2019

Trade name: GP-179

(Cont'd. of page 6)

13 Disposal considerations

[•] Waste treatment methods

· Recommendation:

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

[·] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· DOT, ADR/RID/ADN, IMDG, IATA	UN1993
· UN proper shipping name	
Limited Quantity for packages les (1.3 gal).	ss than 30 kg (66 lb) and inner packagings less than 5 L
DOT	Flammable liquids, n.o.s. (triethoxysiloxy terminat polydimethylsiloxane)
· ADR/RID/ADN	1993 FLAMMABLE LIQUID, N.O. (TRIETHOXYSILOXY TERMINATE POLYDIMETHYLSILOXANE)
·IMDG	FLAMMABLE LIQUID, N.O.S. (TRIETHOXYSILO) TERMINATED POLYDIMETHYLSILOXANE)
·IATA	Flammable liquid, n.o.s. (triethoxysiloxy terminat polydimethylsiloxane)
[·] Transport hazard class(es)	
DOT	
Class	3
· Label	3
· ADR/RID/ADN	
Class	3 (F1)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 30, 2019

Trade name: GP-179

۱.

	(Cont'd. of page
·Label	3
· IMDG, IATA	
· Class	3
· Label	3
 Packing group DOT, ADR/RID/ADN, IMDG, IATA 	III
· Environmental hazards · Marine pollutant:	Νο
 Special precautions for user Danger code (Kemler): EMS Number: 	Warning: Flammable liquids 30 F-E, <u>S-E</u>
 Transport in bulk according to Annex II MARPOL73/78 and the IBC Code 	of Not applicable.

15 Regulatory information
 Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA) SARA
· Section 302 (extremely hazardous substances):
Substance is not listed.
· Section 355 (extremely hazardous substances):
Substance is not listed.
· Section 313 (Specific toxic chemical listings):
Substance is not listed.
· TSCA (Toxic Substances Control Act)
All ingredients are listed or exempt.
· Proposition 65 (California)
· Chemicals known to cause cancer:
Substance is not listed.
· Chemicals known to cause developmental toxicity for females:
Substance is not listed.
· Chemicals known to cause developmental toxicity for males:
Substance is not listed.
· Chemicals known to cause developmental toxicity:
(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 30, 2019

Trade name: GP-179

(Cont'd. of page 8)

Substance is not listed.

EPA (Environmental Protection Agency):

Substance is not listed.

IARC (International Agency for Research on Cancer):

Substance is not listed.

Canadian Domestic Substances List (DSL):

Substance is not listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

Website: www.chemtelinc.com

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent DD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Flam. Liq. 3: Flammable liquids – Category 3 **Sources** SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573